



SPIRAL FREEZER

3° Loosterweg 40
2182 CV Hillegom
Netherlands

Tel: +31 (0) -235404237
Mob: +31 (0) -615073069
Fax: +31 (0) -842254777
E-mail: info@hosbv.com
www.hosbv.com

Bank: 1469.25.645
Vatn.: NL 1843.71.012 B01
Iban: NL 28 RABO 0146925645
Swift: RaboNL2U
Ch.o.C: 37116244

Information:

Brand: ICS/C
Type: 1.6 837 4 x 11/75
Capacity: 600 kg/hr. → 6.000pcs/hr. (120 min.)
1.800 kg/hr. → 3.000pcs/hr. (120 min.)
Diameter each spiral: 3,5 meters
Total belt length: 800 meters
Bandwidth gross: 837 mm . (+/- 5 mm)
Product clearance: 65 mm
Material belt: Hard plastic
Nr. of Towers: 4 towers spirals
Sizes per Tower: 4600x4600x2450 mm (LxWxH)
Number of floors: 2 x 11 pieces upright , 2x downward 11 pieces
Support band: stainless steel strip with plastic wear profile (PE1000)
Residence time: 120 minutes nominal (adjustable from 80-240 minutes)
Input Height (relative 0 - level): + 900 mm
Discharge height (compared to 0- level): + 900 mm
Walk Length: ± 500 mm (outer frame)
Spout Height: ± 500 mm (outer frame)
Tire Safety: a total of approximately 17 pieces
Drum drive: 4x direct drive approximately 0.55 kW (Brevini / Elsto)
Tape Drive: 1x motorvariator 0.37 kW (Brevini / Elsto)







