

Bitzer 4G-20.2Y-40P (x4) & 4GE-30Y-40P (x1)

Specifications

| | |
|--------------------------|--------------------------------------|
| Brand | Bitzer |
| Type | 4G-20.2Y-40P (x4) & 4GE-30Y-40P (x1) |
| Refrigerant | Freon |
| kW at 0°C/+40°C | 70,6 |
| kW at -5°C/+40°C | 287,4 |
| kW at -10°C/+40°C | 237,4 |
| kW at -20°C/+40°C | 156,2 |
| kW at -30°C/+40°C | 96,0 |
| kW at -40°C/+40°C | 61,2 |
| kW at -45°C/+40°C | 28,8 |
| On steel base frame | ✓ |
| Pressure safety switches | ✓ |
| Hp/Lp/Op | |
| Pressure gauges | ✓ |
| Hp/Lp/Op | |
| Liquid receiver | ✓ |
| Liquid receiver ltr. | 300 |
| Oil separator | ✓ |
| Oil level system AC&R | ✓ |
| Sight Glass | ✓ |
| m ³ / h | 422,9 |
| Remarks | Y.o.b. 2011 |
| Package / Rack | ✓ |



(LxWxH)

Stock

4200x1150x1250 mm

Description

Used Bitzer 4G-20.2Y-40P (x4) & 4GE-30Y-40P (x1)

In good condition Bitzer 4G-20.2Y & 4GE-30Y-40P compressor package. Consisting of the following elements: (4x) Bitzer 4G-20.2Y-40P & (1x) Bitzer 4GE-30Y-40P semi-hermetic reciprocating compressors. Plate heat exchanger, liquid receiver 300 liters and a oil separator. Pressure safety switches and gauges.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.







