

Bitzer W4TA

Specifications

Brand	Bitzer
Type	W4TA
Refrigerant	NH 3 (ammonia)
Refrigerant type	R717
kW at +10°C/+40°C	49,7
kW at 0°C/+40°C	32,3
kW at -5°C/+40°C	25,2
kW at -10°C/+40°C	18,8
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Oil separator	✓
Sight Glass	✓
Solenoid Valve	✓
m3 / h	19,0 - 47,4
Remarks	y.o.b. 2004
Package / Rack	✓
Sizes	3330x1700x1980 mm (LxWxH)
Stock	1






Description



Used Bitzer W4TA

Used Bitzer W4TA Open-Type Reciprocating Compressors. Complete with liquid receiver NH3 Ammonia and a DAB pomp k20/41m, Oil separator and Pressure safety switches and gauges.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.



		Typ	W4TA
		S.Nr.	1665201039
BITZER KÜHLMASCHINENBAU GMBH			
Made in E.C.			
Fördervolumen	Drehzahl		
m³/h	min⁻¹		
19,0-47,4	700-1750		
ND/HD	max. 19 / 25 bar		
7802701			

