


# Bitzer 4T.2 Condensing unit

## Specifications

|                          |                                       |
|--------------------------|---------------------------------------|
| Brand                    | Bitzer                                |
| Type                     | 4T.2 Condensing unit                  |
| Refrigerant              | Freon                                 |
| kW at 0°C/+40°C          | 33,1                                  |
| kW at -5°C/+40°C         | 27,6                                  |
| kW at -10°C/+40°C        | 22,8                                  |
| kW at -20°C/+40°C        | 15,1                                  |
| kW at -30°C/+40°C        | 9,4                                   |
| kW at -40°C/+40°C        | 5,2                                   |
| kW at -45°C/+40°C        | 3,7                                   |
| Electromotor Specs       | 50/60 Hz - 7,5/9,0 kW - 1445/1735 RPM |
| On steel base frame      | ✓                                     |
| Liquid receiver          | ✓                                     |
| Liquid receiver ltr.     | 19                                    |
| Liquid line filter drier | ✓                                     |
| Sight Glass              | ✓                                     |
| m3 / h                   | 47,4                                  |
| Condensing Unit          | ✓                                     |
| Sizes                    | 2150x750x1250 mm (LxWxH)              |
| Stock                    | 1                                     |



## Description

### Used Bitzer 4T.2 Condensing unit

Used Bitzer 4T.2 condensing unit on Freon. Complete with 1 Bitzer 4T.2 open-type reciprocating compressors, condenser with 2 fans and a diameter of 400 mm, AEG AM 132 AMR elektromotor: 50 Hz - 7,5 kW - 1445 RPM, liquid receiver with a volume of 19 liters, liquid line filter and a control box.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.

