

# Bitzer 6F-50.2Y-40P Condensing unit

## Specifications

Brand	Bitzer
Type	6F-50.2Y-40P Condensing unit
Refrigerant	Freon
kW at 0°C/+40°C	121,7
kW at -5°C/+40°C	101,3
kW at -10°C/+40°C	83,6
kW at -20°C/+40°C	55,0
kW at -30°C/+40°C	33,9
kW at -40°C/+40°C	18,6
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Condensing pressure switches	✓
Liquid receiver	✓
Liquid receiver ltr.	45
Suction accumulator	✓
Oil separator	✓
Liquid line filter drier	✓
Sight Glass	✓
m3 / h	151,6
Remarks	Y.o.b. 2012
Weight in kg.	721



---

Sizes	2180x980x1800 mm (LxWxH)
Stock	1

---

## Description

### Used Bitzer 6F-50.2Y-40P Condensing unit

Used Bitzer 6F-50.2Y-40P condensing unit on Freon build in 2012. Complete with 1 Bitzer 6F-50.2Y-40P semi-hermetic reciprocating compressor, WTK CF230 C4P/M shell and tube condensor, Frigomec FASW 40.32(M64/M64-W28/W28) suction accumulator, Frigomec FL 45+2SGR7+SV(R7/R7), oil separator, liquid line filter drier, pressure and safety switches/gauges, control box and a Danfoss EKA 164A display.

\*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.









