

# Bitzer 6F-40.2Y-40P (x2) / 66F-80.2Y-40P

## Specifications

Brand	Bitzer
Type	6F-40.2Y-40P (x2) / 66F-80.2Y-40P
Refrigerant	Freon
kW at -10°C/+40°C	166,2
kW at -20°C/+40°C	108,5
kW at -30°C/+40°C	65,9
kW at -40°C/+40°C	35,1
kW at -45°C/+40°C	23,4
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Suction accumulator	✓
Oil separator	✓
Sight Glass	✓
m3 / h	303,2
Remarks	Y.o.b. 2008
Sizes	2300x1100x1580 mm (LxWxH)
Stock	2



## Description

### Used Bitzer 6F-40.2Y-40P (x2) / 66F-80.2Y-40P

Used Bitzer 6F-80.2Y-40P (x2) compressor unit on Freon. Complete with a Bitzer 66F-80.2Y-40P semi-hermetic tandem compressor, liquid receiver, suction accumulator, Temprite 927 oil separator, suction accumulator, pressure and safety switches/gauges and a control box with 1 Eliwell EWCM 9100 and 2 Eliwell ID974LK displays.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning.

\*Optionally we can also perform a new paint job and arrange the logistics.







