

Bitzer 6FE-50Y-40P (x2) & 6GE-40Y-40P (x1)

Specifications

Brand	Bitzer
Type	6FE-50Y-40P (x2) & 6GE-40Y-40P (x1)
Refrigerant	Freon
kW at 0°C/+40°C	351,7
kW at -5°C/+40°C	292,8
kW at -10°C/+40°C	241,6
kW at -20°C/+40°C	158,7
kW at -30°C/+40°C	97,4
kW at -40°C/+40°C	53,2
kW at -45°C/+40°C	36,3
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	30
Oil separator	✓
Oil level system AC&R	✓
Liquid line filter drier	✓
Sight Glass	✓
m3 / h	430,0
Remarks	Y.o.b. 2013



Package / Rack	✓
Sizes	2840x1400x1320 mm (LxWxH)
Stock	1

Description

Used Bitzer 6FE-50Y-40P (x2) & 6GE-40Y-40P (x1)

Used Bitzer 6FE-50Y-40P (x2) & Bitzer 6GE-40Y-40P semi-hermetic reciprocating compressor rack on Freon. Complete with 1 GVN VLR-7A-F/F-30x2 liquid receiver with a volume of 30 liter, Frigo-Mec SO-273-ODS 67 oil separator, liquid line filter drier, pressure and safety switches/gauges and a control box with a Danfoss VLT frequency converter.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive quality test and after it has been cleaned industrially. *If requested we are happy to arrange your shipment.



Typ 6FE-50Y-40P
S.Nr. 1686911247

BITZER KÜHLMASCHINENBAU GMBH

Made in E.C.

Nennspannung	Frequ.	Betr.strom	Anlaufstrom	Fördervol.	Drehzahl
V 3Ph~	Hz	A (max.)	A (Y)	m³/h	min⁻¹
380-400	50	96.2	226	151.6	1450
440-480	60	96.2	226	183.1	1750

IP 54 ND/HD max. 19 / 32 bar

37802206

Typ 6FE-50Y-40P

S.Nr. 1686912904

BITZER KÜHLMASCHINENBAU GMBH

Made in E.C.

Nennspannung V 3Ph~	Frequ. Hz	Betr.strom A (max.)	Anlaufstrom A (Y)	A (YY)	Fördervol. m³/h	Drehzahl min ⁻¹
380-400	50	96.2	226	404	151.6	1450
440-480	60	96.2	226	404	183.1	1750

IP 54 ND/H max. 19 / 32 bar

378028/05









