

# Bitzer 6F-40.2Y Condensing unit

## Specifications

|                          |                              |
|--------------------------|------------------------------|
| Brand                    | Bitzer                       |
| Type                     | 6F-40.2Y Condensing unit     |
| Refrigerant              | Freon                        |
| kW at -5°C/+40°C         | 100,9                        |
| kW at -10°C/+40°C        | 83,1                         |
| kW at -20°C/+40°C        | 54,3                         |
| kW at -30°C/+40°C        | 33,0                         |
| kW at -40°C/+40°C        | 17,6                         |
| kW at -45°C/+40°C        | 11,7                         |
| Unloaded Start           | ✓                            |
| Pressure safety switches | ✓                            |
| Hp/Lp/Op                 |                              |
| Liquid receiver          | ✓                            |
| Oil separator            | ✓                            |
| Liquid line filter drier | ✓                            |
| Sight Glass              | ✓                            |
| Solenoid Valve           | ✓                            |
| m3 / h                   | 151,6                        |
| Remarks                  | Y.o.b. 2001                  |
| Condensing Unit          | ✓                            |
| Sizes                    | 2280x1200x1770 mm<br>(LxWxH) |
| Stock                    | 1                            |



## Description

### Used Bitzer 6F-40.2Y Condensing unit

Used Bitzer condensing unit on Freon. Complete with 1 Bitzer 6F-40.2Y semi-hermetic reciprocating compressor, Condenser with 6 Ziehl-Abegg FN050-VDS.4I.V7P1 fans - 50 Hz - 0,84/0,54 kW - 1340/940 RPM - diameter 500 mm, liquid receiver, oil separator, liquid line filter drier and a control cabinet.

\*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

\*Optional we can also perform a new paint job and arrange the logistics









