

# Bock HGX7/1860-4 S (x2) & HGX6/1240-4 S (x1)

## Specifications

Brand	Bock
Type	HGX7/1860-4 S (x2) & HGX6/1240-4 S (x1)
Refrigerant	Freon
kW at 0°C/+40°C	331,2
kW at -5°C/+40°C	276,1
kW at -10°C/+40°C	226,1
kW at -20°C/+40°C	146,0
kW at -30°C/+40°C	86,2
kW at -40°C/+40°C	44,3
kW at -45°C/+40°C	28,3
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Condensing pressure switches	✓
Liquid receiver	✓
Liquid receiver ltr.	320
Suction accumulator	✓
Oil separator	✓
Oil level system AC&R	✓
Liquid line filter drier	✓
Solenoid Valve	✓



m3 / h	430,4
Package / Rack	✓
Sizes	5000x1230x2420 mm (LxWxH)
Stock	1

## Description

### Used Bock HGX7/1860-4 S (x2) & HGX6/1240-4 S (x1)

Used Bock HGX7/1860-4 S (x2) & HGX6/1240-4 S (x1) semi-hermetic reciprocating compressors on Freon. Complete with a Bitzer FS 3102 liquid receiver with a volume of 320 liter, Henry S-1904-CE oil separator, Henry S-9108-CE oil reservoir, suction accumulator, liquid line filter drier, pressure and safety switches/gauges, ABB frequency drive and a control cabinet.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.













