

Bitzer 6F-40.2Y

Specifications

Brand	Bitzer
Type	6F-40.2Y
Refrigerant	Freon
kW at -5°C/+40°C	100,9
kW at -10°C/+40°C	83,1
kW at -20°C/+40°C	54,3
kW at -30°C/+40°C	33,0
kW at -40°C/+40°C	17,6
kW at -45°C/+40°C	11,7
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Oil separator	✓
Liquid line filter drier	✓
Sight Glass	✓
Solenoid Valve	✓
m3 / h	151,6
Remarks	Y.o.b. 2005
Sizes	1600x800x1400 mm (LxWxH)
Stock	1



Description

Used Bitzer 6F-40.2Y

Used Bitzer 6F-40.2Y semi-hermetic reciprocating compressor on Freon. Complete with a liquid receiver, AC&R S-5192M-CE oil separator, liquid line filter drier, pressure and safety switches/gauges and a control cabinet with a VDH ALFA 31DP panel. The compressor has a displacement of 151,6 m³/h.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. *Optionally we can also perform a new paint job and arrange the logistics.





