

Sabroe SAB 110 SM

Specifications

Brand	Sabroe
Type	SAB 110 SM
Refrigerant	NH 3 / Freon
kW at +10°C/+40°C	142,4
kW at 0°C/+40°C	101,7
kW at -5°C/+40°C	85,0
kW at -10°C/+40°C	70,5
kW at -20°C/+40°C	47,2
kW at -30°C/+40°C	30,1
kW at -40°C/+40°C	18,0
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Oil separator	✓
Solenoid Valve	✓
m3 / h	140
Remarks	*Capacity based on Freon
Sizes	1750x700x1250 mm (LxWxH)
Stock	1



Description

Used Sabroe SAB 110 SM

Used Sabroe SAB 110 SM screw compressor on Freon / R717 (Ammonia). Complete with a electric motor, oil separator and a SWEP B25*040 braced heat exchanger. The compressor has a displacement of 140 m³/h at 2950 RPM.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.





