

Bitzer 6FEP-50P-40P (x2)

Specifications

Brand	Bitzer
Type	6FEP-50P-40P (x2)
Refrigerant	Other
Refrigerant type	R290 (Propane)
kW at 0°C/+40°C	217,9
kW at -5°C/+40°C	181,2
kW at -10°C/+40°C	149,1
kW at -20°C/+40°C	96,8
kW at -30°C/+40°C	57,9
kW at -40°C/+40°C	29,8
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Condensing pressure switches	✓
Liquid receiver	✓
Liquid receiver ltr.	590
Sight Glass	✓
m ³ / h	303,2 m ³ /h at 50 Hz - 366,2 m ³ /h at 60 Hz
Remarks	Y.o.b. 2015
Package / Rack	✓



Stock	1 condenser:
	3610x2120x1170 mm (LxWxH)
	Compressor set:
	4100x1650x2200 mm (LxWxH)

Description

Used Bitzer 6FEP-50P-40P (x2)

Used Bitzer 6FEP-50P-40P (x2) semi-hermetic reciprocating compressor set on R290 (Propane) build in 2015. Each compressor complete with a SWEP F400Thx104/1P-SC-M braced heat exchanger, SWEP B35Hx40/1P-SC-S braced heat exchanger, pressure and safety switches/gauges and a Danfoss FC-103P55KT4E20H frequency converter and a Güntner microchannel condenser. Further the unit comes with a Frigo-Mec FK 590+2M1-1/8" liquid receiver with a volume of 590 liter, Hermetic CAMhs 2/4 pump and a control cabinet. The compressors have a total displacement of 303,2 m³/h at 50 Hz and 366,2 m³/h at 60 Hz.

Please notice that this propane set comes with 2 Güntner microchannel condensers.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.











