

# Bitzer 6G-30.2Y-40P (x2) & 4NCS-12.2Y-40P (x1)

## Specifications

|                          |                                         |
|--------------------------|-----------------------------------------|
| Brand                    | Bitzer                                  |
| Type                     | 6G-30.2Y-40P (x2) & 4NCS-12.2Y-40P (x1) |
| Refrigerant              | Freon                                   |
| kW at -5°C/+40°C         | 205,3                                   |
| kW at -10°C/+40°C        | 169,3                                   |
| kW at -20°C/+40°C        | 110,9                                   |
| kW at -30°C/+40°C        | 67,7                                    |
| kW at -40°C/+40°C        | 36,4                                    |
| On steel base frame      | ✓                                       |
| Pressure safety switches | ✓                                       |
| Hp/Lp/Op                 |                                         |
| Pressure gauges          | ✓                                       |
| Hp/Lp/Op                 |                                         |
| Liquid receiver          | ✓                                       |
| Liquid receiver ltr.     | 160                                     |
| Oil separator            | ✓                                       |
| Oil level system AC&R    | ✓                                       |
| Liquid line filter drier | ✓                                       |
| Sight Glass              | ✓                                       |
| Solenoid Valve           | ✓                                       |
| m3 / h                   | 50 Hz - 309,8 m³/h - 60 Hz - 374,1 m³/h |
| Remarks                  | Y.o.b. 2005                             |
| Weight in kg.            | 1500 kg                                 |



|                |                             |
|----------------|-----------------------------|
| Package / Rack | ✓                           |
| Sizes          | 3290x950x2150 mm<br>(LxWxH) |
| Stock          | 1                           |

## Description

### **Used Bitzer 6G-30.2Y-40P (x2) & 4NCS-12.2Y-40P (x1)**

Used Bitzer 6G-30.2Y-40P (x2) & 4NCS-12.2Y-40P (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with Bitzer F1602N liquid receiver with a volume of 160 liters, oil separator, oil reservoir, braced heat exchanger, liquid line filter drier, and pressure and safety switches/gauges.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty, and industrial cleaning. \*Optional we can also perform a new paint job and arrange the logistics.





