

Bitzer 4NES-20Y-40P

Specifications

Brand	Bitzer
Type	4NES-20Y-40P
Refrigerant	Freon
kW at 0°C/+40°C	47,2
kW at -5°C/+40°C	38,8
kW at -10°C/+40°C	31,6
kW at -20°C/+40°C	20,1
kW at -30°C/+40°C	11,9
kW at -40°C/+40°C	6,4
kW at -45°C/+40°C	4,3
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid line filter drier	✓
Sight Glass	✓
Solenoid Valve	✓
m ³ / h	56,2 m ³ /h at 50 Hz & 67,8 m ³ /h at 60 Hz
Remarks	Y.o.b. 2016
Sizes	1700x600x800 mm (LxWxH)
Stock	1



Description

Used Bitzer 4NES-20Y-40P

Used Bitzer 4NES-20Y-40P semi-hermetic reciprocating compressor on Freon. Complete with a Bitzer liquid receiver, pressure and safety switches and a liquid line filter drier. The compressor has a displacement of 56,2 m³/h at 50 Hz & 67,8 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.



