

Bitzer HSK6461-40-40P (x1) & HSK6461-60-40P (x1)

Specifications

Brand	Bitzer
Type	HSK6461-40-40P (x1) & HSK6461-60-40P (x1)
Refrigerant	Freon
kW at 0°C/+40°C	321,6
kW at -5°C/+40°C	276,4
kW at -10°C/+40°C	235,8
kW at -20°C/+40°C	166,8
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	228 L
Oil separator	✓
Liquid line filter drier	✓
Sight Glass	✓
Solenoid Valve	✓
m3 / h	50 Hz - 330 m³/h / 60 Hz - 396 m³/h
Remarks	Y.o.b. 2013
Package / Rack	✓



	(LxWxH)
Size	2400x1400x2100 mm

Description

Used Bitzer HSK6461-40-40P (x1) & HSK6461-60-40P (x1)

Used Bitzer HSK6461-40-40P (x1) & HSK6461-60-40P (x1) semi-hermetic screw compressors package on Freon. Complete with a Bitzer F2202N liquid receiver with a volume of 228 liters, Bitzer OA4088 oil separator, pressure safety switches/gauges, 2 BHE economizer, and liquid line filter drier. The compressor has a displacement of 330 m³/h at 50 Hz and 396 m³/h at 60 Hz.

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.







