

Bitzer 4DC-7.2Y-40S

Specifications

Brand	Bitzer
Type	4DC-7.2Y-40S
Refrigerant	Freon
kW at 0°C/+40°C	21,1
kW at -5°C/+40°C	17,5
kW at -10°C/+40°C	14,4
kW at -20°C/+40°C	9,3
kW at -30°C/+40°C	5,5
kW at -40°C/+40°C	2,8
Unloaded Start	✓
On steel base frame	✓
Liquid receiver	✓
Liquid receiver ltr.	39 L
Liquid line filter drier	✓
Sight Glass	✓
m ³ / h	50 Hz - 26,9 m ³ /h / 60 Hz - 32,4 m ³ /h
Remarks	Y.o.b. 2004
Sizes	1370x600x1730 mm (LxWxH)
Stock	1



Description

Used Bitzer 4DC-7.2Y-40S

Used Bitzer 4DC-7.2Y-40S semi-hermetic reciprocating compressor on Freon. Complete with a Bitzer FS 402 liquid receiver with a volume of 39 liters, liquid line filter drier and a sight glass. The compressor has a displacement of 26,9 m³/h at 50 Hz & 32,4 m³/h at 60 Hz.

*All components of this used evaporator will be tested on good working, leak free condition (electro engines, coils, bearings). Choosing HOSBV means buying with warranty. We perform an industrial cleaning. Also, we can arrange your shipment.





