

# Grasso RC49

## Specifications

Brand	Grasso
Type	RC49
Refrigerant	NH 3 (ammonia)
kW at +10°C/+40°C	329,5
kW at 0°C/+40°C	215,7
kW at -5°C/+40°C	170,1
kW at -10°C/+40°C	130,6
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Sight Glass	✓
m3 / h	281,1 at 1450 RPM
Remarks	Y.o.b. 1996
Sizes	1950x900x1560 mm (LxWxH)
Stock	1





## Description

### Used Grasso RC49

Used Grasso RC 49 reciprocating compressor on NH3 (Ammonia). Complete with a ABB M2AA 250 SMA 4 electric motor - 50 Hz - 55 kW - 1480 RPM, pressure and safety switches/gauges and sight glass. The compressor has a displacement of 281,1 m<sup>3</sup>/h at 1450 RPM.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

\*Optional we can also perform a new paint job and arrange the logistics.






ABB Motors										CE	
3-Motor M2AA 250 SMA 4											
IEC 250 S/M 65											
No											
Ins.cl. F										IP 55	
V	Hz	kW	r/min	A	cos φ	I <sub>A</sub> /I <sub>N</sub>	t <sub>E</sub> /S				
690 Y	50	55	1480	57	0.86						
400 Δ	50	55	1480	98	0.86						
660 Y	50	55	1475	60	0.86						
380 Δ	50	55	1475	103	0.86						
415 Δ	50	55	1480	96	0.84						
440 Δ	60	63	1775	103	0.86						
Prod.code 3GAA 252 001-ADA											
6315/C3										275 kg	
6213/C3											
3GZV 194 004-7										IEC 34-1	

