

DWM 6CC-68 (x2)

Specifications

Brand	DWM
Type	6CC-68 (x2)
Refrigerant	Freon
kW at +10°C/+40°C	236,8
kW at 0°C/+40°C	162,9
kW at -5°C/+40°C	136,2
kW at -10°C/+40°C	106,8
kW at -20°C/+40°C	64,8
kW at -30°C/+40°C	34
Electromotor Specs	30 kW at 1440 RPM (x2)
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Oil separator	✓
Solenoid Valve	✓
Control panel	✓
Remarks	# Complete pumpsystem incl. 2x hermetic CAM 1/5 AGX 1.0 pumps and Witt HR3H Floater



	freon types
Packages / Rack	R404a - R22 or other
Sizes	3400x1800x2900 mm (LxWxH)
Stock	1

Description

Used DWM 6CC-68 (x2)

Used DWM 6CC-68 (x2) freon compressor rack, complete with unloaded start, capacity control, pressure safety switches, pressure gauges, liquid receiver, oil separator, solenoid valve and control panel.

Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and deliver after an industrial cleaning. *If requested we are happy to arrange your logistics.





