


Bitzer 6G.2

Specifications

Brand	Bitzer
Type	6G.2
Refrigerant	Freon
Refrigerant type	R 404 A or other types
kW at +10°C/+40°C	138,9*
kW at 0°C/+40°C	106,3
kW at -5°C/+40°C	88
kW at -10°C/+40°C	72,2
kW at -20°C/+40°C	46,8
kW at -30°C/+40°C	28,2
kW at -40°C/+40°C	15,1
Electromotor Specs	18,5
Unloaded Start	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	75
Liquid line filter drier	✓
Sight Glass	✓
Control panel	✓



	EM: 220 / Comp: 220
Rackage / Rack	y.o.b. 2011 // *Capacity
Sizes	1600 x 1400 x 750 mm -10°C / +40°C (L.E.W.H.) motor: 18,5 kW
Project	Note: Bitzer 6G.2 has been removed
Stock	1

Description

Used Bitzer 6G.2

Used Bitzer 6G.2 freon compressor rack, complete with unloaded start, pressure safety switches, pressure gauges, liquid line filter drier, sight glass, control panel and liquid receiver with a volume of 75 liters.

Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and deliver after an industrial cleaning. *If requested we are happy to arrange your logistics.

