

## Grasso V-3 (screw)

### Specifications

Brand	Grasso
Type	V-3 (screw)
Refrigerant	NH 3 (ammonia)
kW at -30°C/+40°C	443*
Electromotor Specs	250
On steel base frame	✓
Liquid receiver	✓
Liquid receiver ltr.	43
Suction accumulator	✓
Oil separator	✓
Oil level system AC&R	✓
Liquid line filter drier	✓
Sight Glass	✓
Remarks	*Capacity based on NH3 at -35/+35
Package / Rack	✓
Sizes	4050x1560x2260 mm (LxWxH)
Stock	1



### Description

#### Used Grasso V-3 (screw)

Used NH3 ammonia Air Cooled Waterchiller Grasso V-3 , This Waterchiller has the following components: 1x Screw Compressor Grasso V-3 (s/n:V 0261/4 07533), Electromotor Birkenbeul 5AP100L-4 (s/n:681605 / 4 kW at 1430 RPM), Electromotor Schorch KN7317L-ABO1B-Z(s/n:28465701/2) 50 Hz, 250 kW, 400V, 420A, 2975 RPM, 380-420V, Oil Separator GTIM (Volume 30L), Heat exchanger GEA M57-50-G2G2X (s/n:57711071114004)





