

Roller FHVIT 743

Specifications



Brand	Roller
Type	FHVIT 743
kW	23,7
Refrigerant	Freon
Number of Fans	3
Fin Space in mm	7
Defrosting	Electric
m ³ /h	19 200
Sizes	3300x430x630 mm (LxWH)
Project	*Capacity is based on 8K - 8°C // 169 kg
Stock	4





Description

Used Roller FHVIT 743

This used Roller FHVIT 743 uses Refrigerant: G2 and has 3x Fans: Roller / 400V / 50Hz / 0,50/0,34kW / 1,45/0,65A at 1370/1180 RPM





FHVIT



Typ Modelo	Leistung Capacity Potencia		2014	Oberfläche Surface Superficie	Luftmenge Air flow Caudal de aire	Wärme Proyección en Calor	Wärme Proyección en Air flow	Schalldruckpegel Sound power level Potencia sonora	Schalldruckpegel Sound pressure level Presión sonora	Eintritt Inlet	Austritt Outlet
	t ₁ = -8 °C DT1 = 8 K	t ₂ = -25 °C DT1 = 7 K									
441-444											
Lamellenabstand 4,5 mm Fin spacing 4,5 mm Separación de aletas 4,5 mm											
FHVIT 441	9,98	7,12	D	51,7	6.400	16	34	78	56	12	28
FHVIT 441	12,4	9,1	D	77,5	6.200	15	33	78	56	12	28
FHVIT 442	19,95	14,24	D	103,4	12.600	18	38	81	59	15	42
FHVIT 442	24,78	18,2	D	155	12.400	17	37	81	59	15	42
FHVIT 443	29,83	21,35	D	155	19.200	20	42	83	60	15	54
FHVIT 443	37,91	27,05	C	232,6	18.600	19	41	83	60	15	54
FHVIT 444	39,91	28,47	D	206,7	25.600	22	46	84	61	15	54
741-744											
Lamellenabstand 7,0 mm Fin spacing 7,0 mm Separación de aletas 7,0 mm											
FHVIT 741	7,9	5,83	D	34,1	6.600	17	35	78	56	12	28
FHVIT 741	10,24	7,68	C	51,1	6.400	16	34	78	56	12	28
FHVIT 742	15,81	11,67	D	88,1	13.200	19	39	81	59	15	42
FHVIT 742	20,48	15,36	C	102,2	12.800	18	38	81	59	15	42
FHVIT 743	23,7	17,5	D	102,2	19.600	21	43	83	60	15	54
FHVIT 743	30,02	22,16	D	153,2	19.200	20	42	83	60	15	54
FHVIT 744	31,61	23,33	D	136,2	26.400	23	47	84	61	15	54