

Helpman LA-55/a

Specifications




Brand	Helpman
Type	LA-55/a
kW	8,3
Refrigerant	Freon
Number of Fans	2
Fin Space in mm	8
Defrosting	None
m ³ /h	5600
Sizes	1360x600x530 mm
Volume	10,0 dm ³
Weight	62 kg
Stock	1



Description

Used Helpman LA-55/a

Used Goedhart LA-55/a with a fin space of 8,5 mm. One fan is missing, diameter Ø = 400 mm **All components of this used evaporator will be tested on good working, leak free condition (electro engines), coils, bearings) Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



Type	Nennleistung Nominal capacity $\Delta t = 10\text{ }^{\circ}\text{C}$ kcal/h	Luftmenge Air volume m ³ /h	Ventilatoren Fans				Elektr. Abtaugung Electric defrost				Stromart Current	Gewicht Weight kg	Inhalt Internal volume l			
			Anzahl Number	Flügel Durchmesser Fan diameter mm	Motorenleistung, siehe D30-20 Motorpower nominal, see D30-20	220/50/1	220/380/50/3	Block		Tropfwanne						
								Coil	Drip tray	Anzahl der Heizschläue Number of elements				Gesamtleistung Total power kW	Anzahl der Heizschläue Number of elements	Gesamtleistung Total power kW
LAMELLENABSTAND 8.5mm FINS PACING																
LA-9	1180	1000	1	254	70	90	1	0,72	1	0,72	220/1	16	1,7			
LA-14	1770	1500	1	305	70	90	1	0,85	1	0,85	220/1	20	2,4			
LA-17	2220	1750	1	305	70	90	2	1,7	1	0,85		24	3,6			
LA-28	3540	2800	1	406	70	90	2	2,14	1	1,07		33	5,4			
LA-37	4750	3700	1	457	70	90	5	4,75	1	0,95	220/1	44	7,1			
LA-48	6150	4900	1	508	220	250	5	5	1	1	220/3	58	9,2			
LA-55	7100	5600	2	406	70	90	2	3,8	1	1,9	380/3	62	10,6			
LA-74	9500	7400	2	457	70	90	5	8,5	1	1,7		83	13,3			
LA-97	12500	9800	2	508	220	250	5	10	1	2		105	17,4			
LA-145	18600	14700	3	508	220	250	5	13	1	2,6		150	25,6			
LA-193	24800	19600	4	508	220	250	7	15,4	2	4,4		202	33,0			
LAMELLENABSTAND 4 mm FINS PACING																
LV-10	1230	1000	1	254	70	90	1	0,72	1	0,72	220/1	15	1,3			
LV-14	1850	1500	1	305	70	90	1	0,85	1	0,85	220/1	20	1,8			