

Bitzer 4T-12.2 (x2) Condensing unit

Specifications

Brand	Bitzer
Type	4T-12.2 (x2) Condensing unit
Refrigerant	Freon
kW at 0°C/+40°C	65,4
kW at -5°C/+40°C	54,3
kW at -10°C/+40°C	44,7
kW at -20°C/+40°C	29,1
kW at -30°C/+40°C	17,7
kW at -40°C/+40°C	9,53
Unloaded Start	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	110
Oil separator	✓
Oil level system AC&R	✓
Liquid line filter drier	✓
Sight Glass	✓
Condensing Unit	✓
Sizes	2800x760x550 mm (LxWxH)
Stock	1



Description

Used Bitzer 4T-12.2 (x2) Condensing unit

Used Bitzer condensing unit consisting of the following components: 2x Bitzer 4T-12.2 compressor, 1x Apparatebau liquid receiver 110 ltr with liquid line filter and 2x oil separators. Helpman condensor with 4 ATB Fans 50 Hz - 0,18 kW - 910 RPM.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment after performing an extensive test, warranty and industrial cleaning. *Optional we can also arrange the logistics.



