



---

## Dry cooler

### Cabero ACHD 087A2X2-3.3-38-S D

---

Capacity:	<b>57,5 kW</b>	Medium:	<b>Ethylene glycol 34 Vol. %</b>
Air flow:	<b>58.000,0 m<sup>3</sup>/h</b>	Inlet:	<b>40,0 °C</b>
Air inlet:	<b>25,0 °C</b>	Outlet:	<b>35,0 °C</b>
Air outlet:	<b>28,0 °C</b>	Pressure drop:	<b>0,80 bar</b>
		Volume flow:	<b>10,8 m<sup>3</sup>/h</b>

---

Capacity:	<b>230,3 kW</b>	Medium:	<b>Ethylene glycol 34 Vol. %</b>
Air flow:	<b>58.000,0 m<sup>3</sup>/h</b>	Inlet:	<b>60,0 °C</b>
Air inlet:	<b>25,0 °C</b>	Outlet:	<b>40,0 °C</b>
Air outlet:	<b>37,0 °C</b>	Pressure drop:	<b>0,76 bar</b>
		Volume flow:	<b>10,8 m<sup>3</sup>/h</b>

---

Fans:	<b>4 Pieces 3~400V 50Hz</b>
Speed:	<b>700 min<sup>-1</sup></b>
Capacity:	<b>0,83 kW</b>

---

Surface:	<b>379,4 m<sup>2</sup></b>	Tubes:	<b>Copper</b>
Tube volume:	<b>55,0 dm<sup>3</sup></b>	Fins:	<b>Aluminium</b>