


Engineering Data

REMARK: Do not use for construction. Refer to factory certified dimensions & weights. This brochure includes data current at time of publication, which should be reconfirmed at the time of purchase. In the interest of product improvement, specifications, weights and dimensions are subject to change without notice. Up-to-date engineering data and more can be found at www.BaltimoreAircoil.com.

VXC 14 - VXC 265



1. For VXC 14 through VXC 28: refrigerant in ND 80; 2. For VXC 14 through VXC 28: refrigerant out ND 80; 3. For VXC 36 through VXC 265: refrigerant in ND 100; 4. For VXC 36 through VXC 265: refrigerant out ND 100; 5. Make-up; 6. Overflow; 7. Drain; 8. Access (models 14

Model	Operating Weight (kg)	Shipping Weight (kg)	Heaviest Section Coil (kg)	H (mm)	L (mm)	W (mm)	Air Flow (m ³ /s)	Fan Motor (kW)	Water Flow (l/s)	Pump Motor (kW)	R717 Charge (kg)
VXC 14	660	600	580*	2035	914	1207	2,3	(1x) 1,5	2,2	(1x) 0,25	9
VXC 18	740	670	660*	2245	914	1207	2,2	(1x) 1,5	2,2	(1x) 0,25	11
VXC 25	830	760	480	2467	914	1207	2,5	(1x) 2,2	2,2	(1x) 0,25	15
VXC 28	900	830	540	2683	914	1207	2,4	(1x) 2,2	2,2	(1x) 0,25	19
VXC 36	1050	920	920*	2035	1829	1207	4,6	(1x) 4,0	4,7	(1x) 0,37	16
VXC 45	1170	1030	1030*	2245	1829	1207	5,0	(1x) 4,0	4,7	(1x) 0,37	20
VXC 52	1310	1160	700	2467	1829	1207	4,8	(1x) 4,0	4,7	(1x) 0,37	29
VXC 59	1330	1180	700	2467	1829	1207	5,3	(1x) 5,5	4,7	(1x) 0,37	29
VXC 65	1500	1330	860	2683	1829	1207	5,5	(1x) 5,5	4,7	(1x) 0,37	36
VXC 72	1810	1490	1000	2578	2737	1207	5,8	(1x) 4,0	7,1	(1x) 0,75	41
VXC 86	1820	1500	1000	2578	2737	1207	7,5	(1x) 7,5	7,1	(1x) 0,75	41
VXC 97	2080	1730	1200	2813	2737	1207	7,1	(1x) 7,5	7,1	(1x) 0,75	50
VXC 110	2240	1800	1200	2578	3658	1207	10,4	(1x) 7,5	9,5	(1x) 0,75	59
VXC 125	2510	2050	1440	2813	3658	1207	9,9	(1x) 7,5	9,5	(1x) 0,75	73
VXC 135	2540	2080	1440	2813	3658	1207	10,9	(1x) 11,0	9,5	(1x) 0,75	73
VXC 150	3210	2640	1720	3093	3645	1438	13,3	(1x) 7,5	13,9	(1x) 1,5	77
VXC 166	3240	2670	1720	3093	3645	1438	15,8	(1x) 11,0	13,9	(1x) 1,5	77
VXC 185	3670	2950	1980	3328	3645	1438	15,7	(1x) 11,0	13,9	(1x) 1,5	104
VXC 205	3980	3255	2240	3563	3645	1438	16,9	(1x) 15,0	13,9	(1x) 1,5	111
VXC 221	5860	4250	2630	3585	3550	2397	20,8	(1x) 15,0	19,2	(1x) 2,2	118
VXC 250	6390	4770	3150	3820	3550	2397	21,2	(1x) 15,0	19,2	(1x) 2,2	146
VXC 265	6435	4815	3150	3820	3550	2397	22,7	(1x) 18,5	19,2	(1x) 2,2	146

* Unit normally ships in one piece.

