


European Catalogue

Optyma™ Bare condensing units

R290, R452A, R134a/R513A, R448A, R449A, R407A, R407C, R407F, R404A/R507



Application	Code number				Model number	Compressor Model	Electrical Code (1)		Refrigerant (2)	Condenser Coil			Fan		Receiver	Dimensions				Connection		Weight	
										Type	Airflow	Internal Volume	Number	Blade ø	Volume	Chassis	Height	Width	Length	Suction valve	Liquid valve	Gross	Net
	(m³/h)	(dm³)	(mm)	(L)																			
MBP	-	-	-	114G6380 114G6780	OP-SC12 / 12GXT2	SC12/12G	G	G	BG6	900	0.63	1	300	1.65	14	396	493	643	19.05	15.87	52.1	60.1	
MBP	-	-	-	114E2627 114E2628	OP-SC15 / 15GXT2	SC15/15G	G	G	BG7	900	0.84	1	300	1.65	14	396	493	643	19.05	15.87	52.1	60.1	
MBP	-	-	-	114G7382 114G7782	OP-SC18 / 18GXT2	SC18/18G	G	G	BG7	900	0.84	1	300	1.65	14	396	493	643	22.22	15.87	51.8	59.8	
MBP	-	-	-	114G7383 114G7783	OP-SC21 / 21GXT2	SC21/21G	G	G	BG7	900	0.84	1	300	1.65	14	396	493	643	22.22	15.87	52.3	60.3	

(1) **G** - 230V-1ph-50Hz Compressor & 230V-1ph-50Hz Fan

(2) **C** - R452A, R404A/R507

G - R134a, R513A

Designation	SC15/15MFXT2	SC21/21GXT2	SC21/21GXT2	SC12/12GXT2
Code Number	114E2627 114E2628	114G7382 114G7782	114G7383 114G7783	114G6380 114G6780
Compressor Description	SC15/15G	SC18/18G	SC21/21G	SC12/12G
Condenser coil type	BG7	BG7	BG7	BG6
Electrical Code	G	G	G	G
Refrigerant	G	G	G	G
Version	T2	T2	T2	T2
Spare Parts				
Compressor single pack	118U5394	118U5387	118U5388	118U5421
Condenser	118U0377	118U0055	118U0055	118U0068
Dual pressure switch	060-539466	060-539466	060-539466	060-539466
Fan assembly	118U4148	118U4148	118U4148	118U4148
Fan blade	118U0040	118U0040	118U0040	118U0040
Fan cowl	-	118U0067	118U0067	118U0066
Fan bracket	-	118U0062	118U0062	118U0062
Receiver	118U1026	118U1026	118U1026	118U1026
Electrical Characteristics				
MCC Compressor (A)	14.3	14.3	14.3	14.3
LRA compressor (A)	12.4	12.4	12.4	12.4
MCC Fan (A)	0.19	0.19	0.19	0.19
Fan power (W)	25	25	25	25

Electrical code
G : 230V-1ph-50Hz Compressor & 230V-1ph-50Hz Fan

Refrigerant
G = R134a, R513A