

Howden MK4A/XRV204145MVI/189

Specifications

Hersteller	Howden
Typ	MK4A/XRV204145MVI/189
	9
Kältemittel	NH 3 (ammonia)
kW at -10°C/+40°C	672,0*
kW at -40°C/+40°C	260,0**
Auf einem Stahlrahmen	✓
Druckschalter	✓
Kondensationsdruckregler	✓
Ölabscheider	✓
m ³ / h	1070
Bemerkungen	*Capacity based on the following temperatures: (-10°C/+35°C)
Bemerkungen	***Capacity based on the following temperatures: (-35°C/+35°C)
Gewicht in kg.	+3300 kg
Größe	2930x1250x2250 mm (LxWxH)
Stock	1



Description

Used Howden MK4A/XRV204145MVI/189

Gebrauchter Howden MK4A/XRV204145MVI/189 offener Schraubenkompressor, eingestellt auf R717 (NH3). Komplet mit einem Schorch KN7315M-AB01B-401 Elektromotor - 50/60 Hz - 200/230 kW - 2975/3575 U/min, Samifi Babcock SHH 600 Ölabscheider, HS-Cooler KS12-AEH-122 Ölkühler, Samifi Babcock FI150 104 Öl Filter, Druck- und Sicherheitsschalter und Verflüssigungsdruckschalter. Der Kompressor hat eine Förderleistung von 1070 m³/h.







