

Bitzer 4DC-7.2Y-40S Condensing unit

Specifications

Hersteller	Bitzer
Typ	4DC-7.2Y-40S Condensing unit
Kältemittel	Freon
kW at 0°C/+40°C	21,1
kW at -5°C/+40°C	17,5
kW at -10°C/+40°C	14,3
kW at -20°C/+40°C	9,3
kW at -30°C/+40°C	5,5
kW at -40°C/+40°C	2,8
Auf einem Stahlrahmen	✓
Druckschalter	✓
Flüssigkeitssammler	✓
Flüssigkeitsfilter	✓
Schauglass	✓
m ³ / h	26,9 m ³ /h - 32,4 m ³ /h
Bemerkungen	Y.o.b. 2005
Größe	1600x1300x980 mm (LxWxH)
Stock	1



Description

Used Bitzer 4DC-7.2Y-40S Condensing unit

Gebrauchte Bitzer 4DC-7.2Y-40S Verflüssigungssatz. Komplett mit einem halbhermetischen Kolbenkompressor Bitzer 4DC-7.2Y-40S, Kondensator mit 2 Ziehl-Abegg-Lüftern - 50/60 Hz - 0,54/0,72 kW - 1230/1300 U/min - Durchmesser 500 mm, Flüssigkeitssammler, Flüssigkeitsfiltertrockner, Drucksicherheitsschalter, Schauglas und ein Steuerkasten. Der Kompressor hat einen Hubraum von 26,9 - 32,4 m³/h bei 1450/1750 U/min.





