

# DWM D4DL4-150X-AWM/D (x2) & 4DL5-150X-AWM/D (x1)

## Specifications

Hersteller	DWM
Typ	D4DL4-150X-AWM/D (x2) & 4DL5-150X-AWM/D (x1)
Kältemittel	Freon
kW at -20°C/+40°C	81,2
kW at -30°C/+40°C	51,2
kW at -40°C/+40°C	29,6
kW at -45°C/+40°C	21,3
Auf einem Stahlrahmen	✓
Druckschalter	✓
Kondensationsdruckregler	✓
r	
Ölabscheider	✓
Ölniveauregelung AC&R	✓
Schauglass	✓
Magnetventil	✓
m <sup>3</sup> / h	212,7
Bemerkungen	Y.o.b. 2002
Größe	2660x900x2050 mm (LxWxH)
Stock	1



## Description

### Used DWM D4DL4-150X-AWM/D (x2) & 4DL5-150X-AWM/D (x1)

Gebrauchte DWM D4DL4-150X-AWM/D (x2) & 4DL5-150X-AWM/D (x1) halbhermetische Kolbenkompressor-Racks auf Freon. Komplett mit Ölabscheider, Kopflüfter und einem Ölstandsystem AC&R. Die Kompressoren haben eine Gesamtverdrängung von 212,7 m<sup>3</sup>/h.

Dieses Rack befindet sich auf demselben Rahmen wie das <https://www.hosbv.com/product/17638/compressors/DWM-D4DJ4-300X-AWMD-x3.html> >17404</a>





