

Profroid C4AH 3MS4N

Specifications


Hersteller	Profroid
Typ	C4AH 3MS4N
Produkttyp	Air Cooled Condenser
Kälteleistung kW	217
Anzahl der Ventilatoren	3
Drehzahl der ventilatoren	1000RPM
Kältemittel	Freon
Luftdurchsatz in m ³ /h	48300
Größe	4530 x 1100 x 1300mm (L x W x H)
Bemerkungen	56 dm ³ 525m ² surface
Stock	1




Description

Used Profroid C4AH 3MS4N

New, never used. Only stored outside. Complete with metal side plates. Optional we can mount high ref fans.





3

SELECTION / SELECTION

1000 tr/mn - 6PN - VITESSE NORMALE / 1000 rpm - 6PN - NORMAL SPEED

REF	PUISSANCE CALORIFIQUE HEAT REJECTION R404A LT 15K - kW	PRESSION ACOUSTIQUE ACOUSTIC PRESSURE dB (A) @10 m	VENTILATEURS FANS Nombre / Number	DEBIT D'AIR AIR FLOW m³/h	SURFACE SURFACE m²	VOLUME CIRCUIT CIRCUIT VOLUME dm³ / litres
CAAH 2M63	125,84	57	2	33000	262	28
CAAH 2M63	138,12	59	2	41200	262	28
CAAH 2M64	145,18	57	2	32200	350	39
CAAH 2M64	155,54	59	2	38800	350	39
CAAH 2M65	157,25	57	2	30000	436	50
CAAH 2M65	167,39	59	2	37000	436	50
CAAH 3M63	188,76	59	3	49500	393	43
CAAH 3M63	207,19	61	3	61800	393	43
CAAH 3M64	217,78	59	3	48300	525	56
CAAH 3M64	233,11	61	3	59800	525	56