


Bitzer 6G-40.2Y-40P / 6G-2 Cool/freeze unit

Specifications

Hersteller	Bitzer
Typ	6G-40.2Y-40P / 6G-2 Cool/freeze unit
Kältemittel	Freon
kW at 0°C/+40°C	208,8
kW at -5°C/+40°C	173,3
kW at -10°C/+40°C	142,5
kW at -20°C/+40°C	92,8
kW at -30°C/+40°C	56,2
kW at -40°C/+40°C	30.09
Anlaufentlastung	✓
Auf einem Stahlrahmen	✓
Druckschalter	✓
Druckmanometer	✓
Flüssigkeitssammler	✓
Ölabscheider	✓
Ölniveauregelung AC&R	✓
Flüssigkeitsfilter	✓
Schauglass	✓
Schaltschrank	✓
Größe	2800x1800x2150 mm (LxWxH)
Stock	1



Description

Used Bitzer 6G-40.2Y-40P / 6G-2 Cool/freeze unit

Used Bitzer compressor unit on steel base frame. Consisting the following items: Liquid- receiver, -line filter drier, oil separator, pressure safety switches, gauges and control panel. 2x compressors 1x 6G-40.2Y-40P 1x 6G-2 with unloaded start, capacity control, oil level system AC&R. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.

