

Bitzer 4H.25.2Y-40P

Specifications

| Brand | Bitzer |
|--------------------------|------------------|
| Туре | 4H.25.2Y-40P |
| Refrigerant | Freon |
| kW at 0°C/+40°C | 59,4 |
| kW at -5ºC/+40ºC | 49,4 |
| kW at -10°C/+40°C | 40,6 |
| kW at -20°C/+40°C | 26,4 |
| kW at -30°C/+40°C | 15,9 |
| kW at -40°C/+40°C | 8,3 |
| On steel base frame | ✓ |
| Pressure safety switches | / |
| Hp/Lp/Op | |
| Liquid receiver | / |
| Liquid receiver ltr. | 56 |
| Liquid line filter drier | ✓ |
| Sight Glass | ✓ |
| Control panel | ✓ |
| m3 / h | 73,7 |
| Remarks | Y.o.b. 2006 |
| Sizes | 1160x600x1710 mm |
| | (LxWxH) |
| | |



Description

Used Bitzer 4H.25.2Y-40P

Used Bitzer 4H.25.2Y-40P compressor unit on Freon. Complete with 1 Bitzer 4H.25.2Y-40P semi-hermetic reciprocating compressor, Bitzer FS562 liquid receiver with a volume of 56 liter, liquid line filter drier, pressure and safety switches and a control box with a Eliwell ID974 display.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment soley if it has passed our extensive quality test and after it has been cleaned industrially. *If requested we are happy to arrange your shipment.



Your partner for used commercial and industrial refrigeration equipment
















Your partner for used commercial and industrial refrigeration equipment









info@hosbv.com



Your partner for used commercial and industrial refrigeration equipment





info@hosbv.com