

#### **Bitzer HSN 7461-70**

#### **Specifications**

TypeHSN 7461-70RefrigerantFreonkW at -20°C/+40°C114,8kW at -30°C/+40°C78,7kW at -40°C/+40°C51,0kW at -45°C/+40°C39,9Unloaded StartCapacity ControlOn steel base framePressure safety switchesHp/Lp/OpPressure gaugesHp/Lp/OpLiquid receiverLiquid receiver ltr.160Suction accumulator	Brand	Bitzer
kW at -20°C/+40°C114,8kW at -30°C/+40°C78,7kW at -40°C/+40°C51,0kW at -45°C/+40°C39,9Unloaded Start✓Capacity Control✓On steel base frame✓Pressure safety switches✓Hp/Lp/Op✓Pressure gauges✓Hp/Lp/Op✓Liquid receiver✓Liquid receiver ltr.160Suction accumulator✓	Туре	HSN 7461-70
kW at -30°C/+40°C78,7kW at -40°C/+40°C51,0kW at -45°C/+40°C39,9Unloaded Start.Capacity Control.On steel base frame.Pressure safety switches.Hp/Lp/Op.Pressure gauges.Hp/Lp/Op.Liquid receiver.Liquid receiver ltr.160Suction accumulator.	Refrigerant	Freon
kW at -40°C/+40°C51,0kW at -45°C/+40°C39,9Unloaded Start.Capacity Control.On steel base frame.Pressure safety switches.Hp/Lp/Op.Pressure gauges.Hp/Lp/Op.Liquid receiver.Liquid receiver ltr.160Suction accumulator.	kW at -20ºC/+40ºC	114,8
kW at -45°C/+40°C39,9Unloaded Start✓Capacity Control✓On steel base frame✓Pressure safety switches✓Hp/Lp/Op✓Pressure gauges✓Hp/Lp/Op✓Liquid receiver✓Liquid receiver ltr.160Suction accumulator✓	kW at -30ºC/+40ºC	78,7
Unloaded Start✓Capacity Control✓On steel base frame✓Pressure safety switches✓Hp/Lp/Op✓Pressure gauges✓Hp/Lp/Op✓Liquid receiver✓Liquid receiver ltr.160Suction accumulator✓	kW at -40ºC/+40ºC	51,0
Capacity Control✓On steel base frame✓Pressure safety switches✓Hp/Lp/Op✓Pressure gauges✓Hp/Lp/Op✓Liquid receiver✓Liquid receiver ltr.160Suction accumulator✓	kW at -45ºC/+40ºC	39,9
On steel base frame✓Pressure safety switches✓Hp/Lp/Op✓Pressure gauges✓Hp/Lp/Op✓Liquid receiver✓Liquid receiver ltr.160Suction accumulator✓	Unloaded Start	1
Pressure safety switches✓Hp/Lp/Op✓Pressure gauges✓Hp/Lp/Op✓Liquid receiver✓Liquid receiver ltr.160Suction accumulator✓	Capacity Control	1
Hp/Lp/Op Pressure gauges Hp/Lp/Op Liquid receiver Liquid receiver ltr. 160 Suction accumulator /	On steel base frame	1
Pressure gauges Hp/Lp/Op Liquid receiver Liquid receiver ltr. 160 Suction accumulator	Pressure safety switches	1
Hp/Lp/Op Liquid receiver ✓ Liquid receiver ltr. 160 Suction accumulator ✓	Hp/Lp/Op	
Liquid receiverLiquid receiver ltr.160Suction accumulator	Pressure gauges	1
Liquid receiver ltr.160Suction accumulator	Hp/Lp/Op	
Suction accumulator <ul> <li>✓</li> </ul>	Liquid receiver	1
	Liquid receiver ltr.	160
Oil separator	Suction accumulator	1
	Oil separator	1
Liquid line filter drier 🗸	Liquid line filter drier	1
Solenoid Valve 🗸	Solenoid Valve	1
m3 / h 220,0	m3 / h	220,0
Remarks   Serial number:	Remarks	Serial number:
15620925		15620925





	condensor and	
	evaporators.	Description
Bizzensarks	₽86363ce1/553t0ex1/9690vinhomly	Description
	(dffel/this as complete	Used Bitzer HSN 7461-70
	blastfreezing solution	
	with capacity matching	Used Bitzer HSN 7461-70 semi- hermetic screw compressor on Frec

hermetic screw compressor on Freon with economizer. Complete with a Bitzer 1600N liquid receiver with a volume of 160 dm<sup>3</sup>, Bitzer OA 1854 oil separator with a volume of 40 dm<sup>3</sup>, suction accumulator, liquid line filter drier and pressure and safety switches/gauges.

Please note: we will only offer this as complete blastfreezing solution with capacity matching condensor and evaporators.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*Optional we can also perform a new paint job and arrange the logistics































