

Searle KS25-6

Specifications

Brand	Searle
Type	KS25-6
kW	3,1
Refrigerant	Freon
Number of Fans	1
Fin Space in mm	6
Defrosting	None
m ³ /h	1.512
Sizes	860x580x470 mm (LxWxH)
Volume	3,7 dm ³
Weight	45 kg



Description

Used Searle KS25-6

Used Searle KC25-6 evaporator on Freon. Complete with 1 Queace B38C322S fan - 50/60 Hz - 0,07 kW - 1425/1725 RPM - diameter 310 mm with a total airflow of 1.512 m³/h.
*All components of this used evaporator will be tested on good working, leak free condition (electro engines), coils, bearings) Choosing HOSBV means buying with warranty. We perform a industrial cleaning. Also, we can arrange your shipment.




Model	KS25-6	Serial Number	399567		
Medium (Group)	HCFC & HFC (2)	Date Code	HJ		
Max Pressure	21 bar	Receiver Volume	litr		
Coil Volume	-	Net Weight	45 kg		
Safety Device Settings	-				
MOTOR SUPPLY		TOTAL AMPS/PHASE			
No. Off x Power	Conn-Volt-Phase-Freq	1	2	3	
1 x 70 W	220V-1Ph-50Hz	0.74			
	240V-1Ph-50Hz	0.82			
Electrical Data		TOTAL AMPS			
Power(W)	Voltage-Phase	1	2	3	
1600 W	220V-1Ph	7.3			
1900 W	240V-1Ph	7.9			

searle

Fareham, UK, PO14 1AR

MADE IN THE E.C.

CE



QUEACE	CE	CONNECTION DIAGRAM	
B38C322S		WHITE	ROT. CWLE
220-240V 50/60Hz 0.56A 70W		BLUE	CAP
PHI SI P.F.O: 95. I425/1725RPM		BROWN	4MFD/450V
INS. CL. F THERMALLY PROTECTED		BLUE	LINE
CPN: 210-070-104-QCE			
DATE: 2007.10			
		MADE IN CHINA	





Your partner for used commercial and
industrial refrigeration equipment

