

Bitzer 4G-20.2 (x2)

Specifications

Brand	Bitzer
Type	4G-20.2 (x2)
Refrigerant	Freon
kW at -5°C/+40°C	114,3
kW at -10°C/+40°C	94,5
kW at -20°C/+40°C	62,4
kW at -30°C/+40°C	38,5
kW at -40°C/+40°C	21,1
kW at -45°C/+40°C	14,3
Unloaded Start	✓
On steel base frame	✓
Pressure gauges	✓
Hp/Lp/Op	
Oil separator	✓
Oil level system AC&R	✓
Solenoid Valve	✓
m ³ / h	169,0
Package / Rack	✓
Sizes	2160x1010x990 mm (LxWxH)



Description

Used Bitzer 4G-20.2 (x2)

Used Bitzer 4G-20.2 (x2) semi-hermetic reciprocating compressor rack on Freon. Complete with 2 AC&R S-5692X oil separators, AC&R S-9109 oil reservoir, AC&R S-9110 oil level regulator and pressure and safety switches. The compressors together have a total displacement of 169 m³/h. *HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.





