

Grasso V 700

Specifications

Brand	Grasso
Туре	V 700
Refrigerant	Freon
kW at 0°C/+40°C	547,0
kW at -10°C/+40°C	379,0
kW at -20°C/+40°C	244,0
kW at -30°C/+40°C	151,0
Electromotor Specs	50 HZ - 380/660V - 103
	KW - 1470 rpm.
On steel base frame	✓
Pressure safety switches	/
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Oil separator	✓
Sight Glass	✓
m3 / h	636
Remarks	Y.O.B. 2015
Sizes	2770x1330x1770 mm
	(LxWxH)



Description

Used Grasso V 700

Used Grasso v 700 unit driven by a V-belt. Complete with Grasso v 700 Reciprocating compressor, Schorch KN7250S-BB014-152 elektromotor, Oil seperator 114 L, Pressure and safety switches/gauges, V-belt protective hood, Sight Glass.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.



















Your partner for used commercial and industrial refrigeration equipment







