

# Güntner GFHV FD 090.10 F/12E-49

## Specifications

Brand	Güntner
Type	GFHV FD 090.10 F/12E-49
Product type	Drycooler
Number of Fans	2
RPM of the Fans	825
Refrigerant	Glycol
diameter fans Ø	900 mm
Sizes	5000x1100x1400 mm (LxWxH)
Remarks	Y.o.b. 2017






## Description

### Used Güntner GFHV FD 090.10 F/12E-49

Used Güntner GFHV FD 090.10 F/12E-49E drycooler. Complete with 2 Güntner S3G910-CS22 fans, diameter 900 mm.

\*All components of this used condensor will be tested on good working, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform an industrial cleaning. Also, we can arrange your shipment.



Güntner GmbH & Co KG Hans Güntner Strasse 2-6 82256 Fürstenfeldbruck www.guentner.de					
Projektnummer - Project number	101050655				
Gerätebezeichnung - Unit name	GFHV FD 090 10F/12E-49				
UI Nummer - UI number	538 ORRX 1F7 02J 0000 M				
Gerät Seriennummer - Unit serial number	404569755/26 00349				
Ventilator/Drehzahl/Stromaufn. - Fan/ID/Speed/Current	VT03065U 1 / 1673 / 825 min -1 / 2.2 A				
Umgebungstemperatur - Ambient air temperature	-30 °C / +50 °C				
Herstellungsjahr - Year of manufacture	2017				
Druckgerät Seriennr. - Pressure equipment serial no.	404569754/26 00348				
Volumen - Volume (V)	69.41				
Max. zulässiger Druck (PS)	10 / 0 bar		0 / -1 bar		
Max. permissible pressure (PS)	10 / 0 bar		0 / -1 bar		
Zulässige min./max. Temperatur (TS)	-50 °C / +100 °C		-5 °C / +40 °C		
Permissible min./max. temperature (TS)	-50 °C / +100 °C		-5 °C / +40 °C		
Prüfdruck(P)/Prüfmedium - Test pressure(P)/Test medium	11 bar / Druckluft - Compressed air				
Prüfdatum - Test date	2017.07.14				
Fluidgruppe / Zustand - Group of fluid / State	2 / flüssig - liquid				



