

Bitzer 4EES-6Y-40S

Specifications

Brand	Bitzer
Type	4EES-6Y-40S
Refrigerant	Freon
kW at 0°C/+40°C	18,6
kW at -5°C/+40°C	15,4
kW at -10°C/+40°C	12,6
kW at -20°C/+40°C	8,1
kW at -30°C/+40°C	4,9
kW at -40°C/+40°C	2,7
kW at -45°C/+40°C	1,9
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Liquid receiver	✓
Sight Glass	✓
Solenoid Valve	✓
Control panel	✓
m3 / h	22,7 - 27,4
Remarks	Y.o.b. 2013
Sizes	900x1180x1000 mm (LxWxH)



Description

Used Bitzer 4EES-6Y-40S

Used Bitzer 4EES-6Y-40S semi-hermetic reciprocating compressor on Freon in a cabinet. Complete with a liquid receiver, pressure and safety switches, Ziehl-Abegg Acontroll speed controller and a control panel. The compressor has a displacement between 22,7 and 27,4 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.



