

Bitzer HSN 7471-75 (x2)

Specifications

Brand	Bitzer
Туре	HSN 7471-75 (x2)
Refrigerant	Freon
kW at -20°C/+40°C	240,6
kW at -30°C/+40°C	165,8
kW at -40°C/+40°C	109,0
kW at -45°C/+40°C	86,0
Unloaded Start	✓
Capacity Control	/
On steel base frame	/
Pressure safety switches	/
Hp/Lp/Op	
Pressure gauges	/
Hp/Lp/Op	
Solenoid Valve	✓
m3 / h	500
Remarks	Y.o.b. 2001
Remarks	Please note: we will only
	offer this as complete
	blastfreezing solution
	with capacity matching
	condensor and
	evaporators.
Package / Rack	/
Sizes	2500x1200x1400 mm
	(LxWxH)



Description

Used Bitzer HSN 7471-75 (x2)

Used Bitzer HSN 7471-75 (x2) semihermetic screw compressor on Freon. Complete with a Bitzer OA 4088 oil separator and pressure and safety switches/gauges. The compressors have a total displacement of 500 m³/h at 2900 RPM and 600 m³/h at 3500 m³/h.

Please note: we will only offer this as complete blastfreezing solution with capacity matching condensor and evaporators

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *If



Your partner for used commercial and industrial refrigeration equipment

requested we are happy to arrange your shipment.

HOS BV www.hosbv.com info@hosbv.com (+31) (0)23-5404237




















Your partner for used commercial and industrial refrigeration equipment











Your partner for used commercial and industrial refrigeration equipment



