

Bitzer 6G.2

Specifications

Brand	Bitzer
Туре	6G.2
Refrigerant	Freon
kW at 0°C/+40°C	106,3
kW at -5ºC/+40ºC	88,0
kW at -10°C/+40°C	72,2
kW at -20°C/+40°C	46,8
kW at -30°C/+40°C	28,2
kW at -40°C/+40°C	15,2
kW at -45°C/+40°C	10,3
On steel base frame	/
Pressure safety switches	/
Hp/Lp/Op	
Pressure gauges	/
Hp/Lp/Op	
Oil separator	/
Sight Glass	/
m3 / h	153
Sizes	1140x660x910 mm
	(LxWxH)



Description

Used Bitzer 6G.2

Used Bitzer 6G.2 open-type

we are happy to arrange your

shipment.

reciprocating compressor on Freon with a sight glass. Complete with a MEZ F180M04 electric motor - 50 Hz - 18,5 kW - 1460 RPM, oil separator and pressure and safety switches/gauges. The compressor has a displacement of 153 m³/h at 1750 RPM.
*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment soley if it has passed our extensive quality test and after it has been cleaned industrially. *If requested



Your partner for used commercial and industrial refrigeration equipment















Your partner for used commercial and industrial refrigeration equipment

