

Bitzer 6GE-40Y-40P

Specifications

Brand	Bitzer
Туре	6GE-40Y-40P
Refrigerant	Freon
kW at 0ºC/+40ºC	102,4
kW at -5ºC/+40ºC	85,2
kW at -10ºC/+40ºC	70,2
kW at -20ºC/+40ºC	46,0
kW at -30ºC/+40ºC	28,2
kW at -40ºC/+40ºC	15,4
kW at -45ºC/+40ºC	10,6
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	112
Oil separator	✓
Liquid line filter drier	✓
Sight Glass	✓
Control panel	✓
m3 / h	126,8 - 153,0
Remarks	Y.o.b. 2019
Sizes	1530x750x1770 mm
	(LxWxH)



Description

Used Bitzer 6GE-40Y-40P

Used Bitzer 6GE-40Y-40P semihermetic reciprocating compressor on Freon build in 2019. Complete with a Bitzer F1202N liquid receiver, Henry S-5694-CE oil separator, liquid line filter drier, pressure and safety switches/gauges and a control panel. The compressor has a displacement of 127 m³/h at 1450 RPM and 153 m³/h at 1750 RPM.


*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.











Typ 6GE-40Y-40P S.Nr. 1696208763						
TZER KÜHL	MASCH		MBH	5.INT. 169	6208763	111
ITZER KÜHL Ma	de in Ge	ermany				
Vennspannung	Frequ.	Betr.strom	Anlaufstro		Fördervol.	Drehzahl
/ <u>3Ph~</u>	Hz	A (max.)	A(Y)	A(YY)	m³/h	min ⁻¹
380-420	50	73,9	219	362	127	_1450
440-480	60	73,9	219	362	153	1750



















