

# Güntner S-GVV 050.2A/1-ND.E

## Specifications

Brand	Güntner
Type	S-GVV 050.2A/1-ND.E
Product type	Air Cooled Condenser
kW	33,1
Number of Fans	1
RPM of the Fans	1390/1180
Refrigerant	Freon
Air Flow in m <sup>3</sup> /h	7.250
diameter fans Ø	500 mm
Surface (m <sup>2</sup> )	61,9
Tube volume	6,8 dm <sup>3</sup>
Sizes	1150x550x880 mm (LxWxH)
Remarks	Y.o.b. 2016





## Description

### Used Güntner S-GVV 050.2A/1-ND.E

Used Güntner S-GVV 050.2A/1-ND.E air cooled condensor on Freon. Complete with 1 EBM-Papst S4D500-CM03-09 fan - 50 Hz - 0,72/0,55 kW - 1390/1180 RPM - diameter 500 mm and a total airflow of 7.250 m<sup>3</sup>/h.

\*All components of this used condensor will be tested on adequate functionality, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform an industrial cleaning. on demand, we can arrange your shipment.



Günthner GmbH & Co. KG Hans-Günthner-Str. 2-6 82256 Fürstenfeldbruck www.guenthner.de			
<b>ERA</b> Projektnr. Gerätebe- Gerät Seriennumm Ventilator / ID / Dreh Umgebungstemperatur - A Herstellungsjahr Druckgerät Seriennr. - Pressur	ject number - Unit name rial number ID / Speed emperature manufacture nt serial no. Volume (V) Druck (PS) essure (PS) erator (TS) arature (TS) Prüfmedium est medium Prüfdatum - Test date Fluidgruppe / Zustand - Group of fluid / State	101032577 S-GVV 050.2A/1-ND E 404382486/18.01468 VT03150U / 2347 / 1390 min -1 -30 °C / +50 °C 2016 404382487/18.01469 6.8 l 32 / 0 bar 0 / -1 bar -50 °C / +150 °C -5 °C / +40 °C 35.2 bar / Druckluft - Compressed air 2016.05.12 1 / gasförmig - gaseous	



