

Bitzer HSN 7451-60-40P (x2)

Specifications

Brand	Bitzer
Type	HSN 7451-60-40P (x2)
Refrigerant	Freon
kW at -20°C/+40°C	202,8
kW at -30°C/+40°C	137,9
kW at -40°C/+40°C	88,3
kW at -45°C/+40°C	68,3
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Condensing pressure switches	✓
Liquid receiver	✓
Liquid receiver ltr.	228
Oil separator	✓
Liquid line filter drier	✓
Solenoid Valve	✓
m3 / h	50 Hz - 384 / 60 Hz - 460
Remarks	Y.o.b. 2007
Remarks	*Capacity calculated with economizer.



	condensor and evaporators
Weight in kg.	Please note: we will only offer this as complete
Package / Rack	0.50x1.20x1.90 from (with cap)
Sizes	Capacity matching

Description

Used Bitzer HSN 7451-60-40P (x2)

Used Bitzer HSN 7451-60-40P (x2) semi-hermetic screw compressor rack on Freon with an economizer. Complete with a Bitzer FS2202 liquid receiver with a volume of 228 liter, Bitzer OA4088 oil separator with a volume of 88 liter, braced heat exchanger as economizer, pressure and safety switches and condensing pressure switches. The compressors have a total displacement of 384 m³/h at 50 Hz and 460 m³/h at 60 Hz. The capacities are with an economizer.

Please note we will only offer this as complete blastfreezing solution with capacity matching condensor and evaporators.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. *If requested we are happy to arrange your shipment.







