

Güntner GCHC RD 050.2/12-47-4239757A

Specifications

Brand	Güntner
Type	GCHC RD 050.2/12-47-4239757A
Product type	Air Cooled Condenser
kW	51,8
Number of Fans	2
RPM of the Fans	1240
Refrigerant	Freon
Air Flow in m ³ /h	14.326
diameter fans Ø	500 mm
Surface (m ²)	120,4 m ²
Tube volume	10,4 dm ³
Sizes	2150x900x900 mm (LxWxH)
Weight	126 kg
Remarks	Y.o.b. 2020



Description

Used Güntner GCHC RD 050.2/12-47-4239757A

Used Güntner GCHC RD 050.2/12-47-4239757A air cooled condenser on Freon build in 2020. Complete with 2 Ziehl-Abegg FN050-4ES.4I.V7P1 fans - 50/60 Hz - 0,45/0,47 kW - 1240/1260 RPM with a diameter of 500 mm and a total airflow of 14.326 m³/h. Capacity based on the Freon type R507.

*All components of this used condensers will be tested on good working, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform a industrial cleaning. Also, we can arrange your shipment.



GUNTER GmbH & Co. KG Hans-Günter-Strasse 2-6 62256 Fürstentumbrunn www.guenter.de					
Projektnummer - Project number	101123330				
Druckgerätebezeichnung - Pressure equipment type	GCHC RD 050.2/12-47-4238/57A				
UI Nummer - UI number	4238/57				
Seriennummer - Serial number	504132396/12.00759				
Herstellungsjahr - Year of manufacture	2020				
Ventilator/Drehzahl/Stromaufh. - Fan/ID/Speed/Current	VT03087U / 2092 / 1300 min -1 / 3 A				
Umgebungstemperatur - Ambient air temperature	-30 °C / +50 °C				
Volumen - Volume (V)	10 4 l				
Max. zulässiger Druck (PS) Max. permissible pressure (PS)	32 / 0 bar	0 / -1 bar			
Zulässige min./max. Temperatur (TS) Permissible min./max. temperature (TS)	-50 °C / +100 °C		-50 °C / +40 °C		
Prüfdruck (PT) / Prüfmedium Test pressure (PT) / Test medium	35.2 bar / Druckluft - Compressed air				
Prüfdatum - Test date	2020-04-01				
Fluidgruppe / Zustand - Group of fluid / State	2 / gasförmig - gaseous				



