

# Profroid GQL ZF 40 Condensing unit

## Specifications

Brand	Profroid
Type	GQL ZF 40 Condensing unit
Refrigerant	Freon
kW at 0°C/+40°C	32,1
kW at -5°C/+40°C	26,5
kW at -10°C/+40°C	21,8
kW at -20°C/+40°C	14,3
kW at -30°C/+40°C	9,2
kW at -40°C/+40°C	5,6
Liquid receiver	✓
Liquid line filter drier	✓
Sight Glass	✓
m3 / h	35,3 m <sup>3</sup> /h at 50 Hz / 42,6 m <sup>3</sup> /h at 60 Hz
Remarks	Y.o.b. 2008
Condensing Unit	✓
Sizes	1230x650x1200 mm (LxWxH)



## Description

### Used Profroid GQL ZF 40 Condensing unit

Used Profroid GQL ZF 40 condensing unit on Freon. Complete with 1 Copeland ZF41K5E-TFD-567 scroll compressor, condenser with 2 EBM-Papst S6E450-AP02-06 fans - 50/60 Hz - 0,17/0,23 kW - diameter 450 mm and a liquid receiver. The compressors have a total displacement of 35,3 m<sup>3</sup>/h at 50 Hz and 42,6 m<sup>3</sup>/h at 60 Hz.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. \*If requested we are happy to arrange your shipment.





