

DWM D6DT5-320X-AWM/D (x2) & 6MMS1-30X-AWM/D (x1)

Specifications

Brand	DWM
Type	D6DT5-320X-AWM/D (x2) & 6MMS1-30X-AWM/D (x1)
Refrigerant	Freon
kW at -10°C/+40°C	205,2
kW at -20°C/+40°C	134,9
kW at -30°C/+40°C	84,3
kW at -40°C/+40°C	48,6
kW at -45°C/+40°C	34,8
On steel base frame	✓
Liquid receiver	✓
Liquid receiver ltr.	14
Suction accumulator	✓
Oil separator	✓
Oil level system AC&R	✓
Liquid line filter drier	✓
Solenoid Valve	✓
m3 / h	374,5
Remarks	SN: 15G 63177 M - Y.o.b. 2015
Remarks	SN: 06K 74359 - Y.o.b. 2006
Package / Rack	✓



	(LxWxH)
Sizes	3070x1020x1930 mm

Description

Used DWM D6DT5-320X-AWM/D (x2) & 6MMS1-30X-AWM/D (x1)

Used DWM D6DT5-320X-AWM/D (x2) & 6MMS1-30X-AWM/D semi-hermetic reciprocating compressor rack on Freon. Complete with suction accumulator, Tecnac DVC-180-8,5/14,5-14 liquid receiver, oil separator, braced heat exchanger and each compressor comes with an oil level regulator and head fan. The compressors have a total displacement of 374,5 m³/h.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty, and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.





