

Bitzer 6F-40.2 Y

Specifications

Brand	Bitzer
Type	6F-40.2 Y
Refrigerant	Freon
kW at -5°C/+40°C	100,9
kW at -10°C/+40°C	83,1
kW at -20°C/+40°C	54,3
kW at -30°C/+40°C	33,0
kW at -40°C/+40°C	17,6
kW at -45°C/+40°C	11,7
Capacity Control	✓
On steel base frame	✓
Pressure gauges	✓
Hp/Lp/Op	
Condensing pressure switches	✓
Liquid receiver	✓
Liquid receiver ltr.	56 l
Oil separator	✓
Liquid line filter drier	✓
Sight Glass	✓
m3 / h	50 Hz - 151,6 m ³ /h & 60 Hz - 181,9 m ³ /h
Remarks	Y.o.b. 2000
Sizes	1100x1000x1340 mm (LxWxH)



Description

Used Bitzer 6F-40.2 Y

Used Bitzer 6F-40.2Y semi-hermetic reciprocating compressor on Freon. Complete with a Bitzer FS562 liquid receiver with a volume of 56 liters, oil separator, liquid line filter drier, pressure and safety switches/gauges and a sight glass. The compressor has a displacement of 151,6 m³/h at 1450 RPM and 181,9 m³/h at 1750 RPM. *Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.





