

Güntner GFHV FD 090.20F/22E-61

Specifications

Brand	Güntner
Type	GFHV FD 090.20F/22E-61
Product type	Drycooler
kW	447,9
Number of Fans	4
RPM of the Fans	1200
Refrigerant	Glycol
Air Flow in m ³ /h	143000
diameter fans Ø	910 mm
Surface (m ²)	1332,8
Tube volume	162,1 dm ³
Sizes	5000x2250x2100 mm (LxWxH)
Remarks	Y.o.b. 2021



Description

Used Güntner GFHV FD 090.20F/22E-61

New Güntner GFHV FD 090.20F/22E-61 Glycol drycooler built in 2021. Complete with 4 EBM-Papst S3G910-CZ01-09 fans - 50/60 Hz - 3,3 kW - 1200 RPM - diameter 910 mm. *All components of this used condenser will be tested on adequate functionality, leak-free condition (electro engines), condensing block, and bearings. Choosing HOSBV means buying with warranty. We perform an industrial cleaning. on demand, we can arrange your shipment.



Gönther GmbH & Co. KG Hans-Gönther-Strasse 2-6 82266 Fürstenfeldbruck www.goenther.de					
Projektnummer - Project number	101140137				
Gerätebezeichnung - Unit name	GFHV FD 090 20F/22E-61				
UI Nummer - UI number	538 0NJC2AR 02F 001J E				
Gerät Seriennummer - Unit serial number	40503/54143.00749				
Ventilator/Drehzahl/Stromaufn. - Fan/ID/Speed/Current	VT03084U 1 / 2677 / 1200 min -1 / 5.1 A				
Umgebungstemperatur - Ambient air temperature	-30 °C / +50 °C				
Herstellungsjahr - Year of manufacture	2021				
Druckgerät Seriennr. - Pressure equipment serial no.	40503/54343.00751				
Volumen - Volume (V)	162.1 l				
Max. zulässiger Druck (PS)	10 / 0 bar		0 / -1 bar		
Zulässige min./max. Temperatur (TS)	-50 °C / +100 °C		-50 °C / +40 °C		
Prüfdruck(PT)/Prüfmedium - Test pressure(PT)/Test medium	11 bar / Druckluft - Compressed air				
Prüfdatum - Test date	2021.02.04				
Fluidgruppe / Zustand - Group of fluid / State	2 / flüssig - liquid				



