


Sabroe HPC 108 S

Specifications

Brand	Sabroe
Type	HPC 108 S
Refrigerant	NH 3 (ammonia)
kW at +10°C/+40°C	571,1
kW at 0°C/+40°C	373,1
kW at -5°C/+40°C	294,4
kW at -10°C/+40°C	227,6
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Oil separator	✓
Sight Glass	✓
Solenoid Valve	✓
m ³ / h	452,0
Remarks	Y.o.b. 2011
Weight in kg.	1665 kg



Description

Used Sabroe HPC 108 S

Used Sabroe HPC 108 S reciprocating compressor package on R717 (Ammonia). Complete with a Leroy Somer PLSES315MUR-T electric motor - 50/60 Hz - 200 kW - 1488/1790 RPM, Sabroe OVUR 5008 HP oil separator with a volume of 110 liter and pressure and safety switches. The compressor has a displacement of 452 m³/h.

This unit is part of the following heat pump: <https://hosbv.com/product/15418/waterchillers/Sabroe-NS-HPAC-116E108S.html> 15931

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has



passed our extensive test. Warranty and industrial cleaning are included in your purchase. *If requested we are happy to arrange your shipment.

