

Howden MK6A/WRV20419350/601

Specifications

Brand	Howden
Type	MK6A/WRV20419350/601
Refrigerant	NH 3 (ammonia)
kW at -5°C/+40°C	786,0
kW at -10°C/+40°C	628,0
kW at -20°C/+40°C	369,0
kW at -30°C/+40°C	182,0
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Oil separator	✓
Liquid line filter drier	✓
Sight Glass	✓
Control panel	✓
m3 / h	1320 m ³ /h
Sizes	4300x1600x2150 mm (LxWxH)



Description

Used Howden MK6A/WRV20419350/601


Used Howden MK6A/WRV20419350/601 screw compressor on NH3 (Ammonia). Complete with a Schorch KN7315M-AB01B electric motor - 50/60 Hz - 200/230 kW - 2975/3575 RPM, SES T61 oil separator with a volume 510 liters, oil cooler, pressure and safety switches/gauges, Viking AK4195 oil pump with a Brook Crompton T-DA112MA/00-17 electric motor and a control cabinet.

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to



Your partner for used commercial and
industrial refrigeration equipment

arrange your logistics.



HOWDEN		
Serial No	HNGA/URU20413350/601	
Contract No	J01705	
Hydraulic Test Pressure	42.00	bar g
Max Working Pressure - High Side	18.00	bar g
Max Working Pressure - Low Side	2.00	bar g
Max Speed	4500	RPM
HOWDEN COMPRESSORS LIMITED		
Registered Office: 539 Barfillan Drive, Glasgow, G52 1RS		

